
Thread Turning Inserts




Partial Profile 55°










L	I.C. in	Pitch Range mm TPI		RNAL g Code Left Hand	<i>INTE</i> I Orderin Right Hand	х	Υ	
6	5/32	0.5 - 1.25 48 - 20	ULTRA MINIAT	URE	*06 IR A55	*06 IL A55	0.5	0.6
8	3/16	0.5 - 1.5 48 - 16	MINIATURE →		*08 IR A55	*08 IL A55	0.6	0.7
8U	3/16U	1.75 - 2.0 14 - 11	"U" MINIATURE	= →	*08U IF	R/L U55	0.9	4.0
11	1/4	0.5 - 1.5 48 - 16	11 ER A55	11 EL A55	11 IR A55	11 IL A55	0.8	0.9
16	3/8	0.5 - 1.5 48 - 16	16 ER A55	16 EL A55	16 IR A55	16 IL A55	0.8	0.9
16	3/8	1.75 - 3.0 14 - 8	16 ER G55	16 EL G55	16 IR G55	16 IL G55	1.2	1.7
16	3/8	0.5 - 3.0 48 - 8	16 ER AG55	16 EL AG55	16 IR AG55	16 IL AG55	1.2	1.7
22	1/2	3.5 - 5.0 7 - 5	22 ER N55	22 EL N55	22 IR N55	22 IL N55	1.7	2.5
22U	1/2U	5.5 - 8.0 4.5 - 3.25		22U E/I/	R/L U55		0.9	11.0
27	5/8	5.5 - 6.0 4.5 - 4	27 ER Q55	27 EL Q55	27 IR Q55	27 IL Q55	2.0	2.9
27U	5/8U	6.5 - 9.0 4 - 2.75		27U E/I/	R/L U55		1.2	13.7

^{*} Available only in BXC and BMA grades

Order example: 16 ER G55 MXC

For small bore threading see page A06-12



Type BGround profile with sintered chip-breaker





L	I.C. in	Pitch Range mm TPI	EXTERNAL Ordering Code Right Hand	INTERNAL Ordering Code Right Hand	X	Υ
16	3/8	1.75 - 3.0 14 - 8	16 ER B G55	16 IR B G55	1.2	1.7
16	3/8	0.5 - 3.0 48 - 8	16 ER B AG55	16 IR B AG55	1.2	1.7

Order example: 16 ER B G55 BMA



Carbide Grade Selection

Choose the CPT grade specifically formulated for your application from the following list:

Coated Grades

HBA (H10-H25) (S10-S25)

Extra-fine sub-micron grade with high toughness, for optimized performance on hardened steels and cast iron up to 62HRc, titanium alloys and super alloys (hastelloy, inconel and nickel based alloys).

BLU (M10-M20) (K05-K20) (N10-N20) (S10-S20)

PVD triple layer coated sub-micron grade for stainless steels, cast iron, titanium, non ferrous metals and most of the high temperature alloys.

BMA (P20-P40) (K20-K30) PVD TiAlN coated sub-micrograin grade for stainless steels and exotic materials at medium to high cutting speeds.

P25C (P15-P35)

PVD TiN coated grade for treated and hard alloy steels (25 HRc & up) at medium to low cutting speeds.

MXC (K10-K20) (P10-P25) PVD TiN coated micrograin for free cutting untreated alloy steels (below 30 HRc), for stainless steels and cast iron.

BXC (P30-P50) (K25-K40)

PVD TiN coated grade for low cutting speed. Works well with wide range of stainless steels.

Uncoated Grades

P30* (P20-P30)

Carbide grade for carbon and cast steels, works well at medium to low cutting speeds.

K20* (K10-K30)

Carbide grade for non ferrous metals, aluminum and cast iron.

Note:

Due to our unique and specialized production techniques, CPT coated inserts provide superior cutting performance and exceptionally long tool life.

Grade availability per inserts size

Grade	HBA	BLU	ВМА	P25C	MXC	BXC	P30	K20
Insert sizes	11, 16, 22, 27	11, 16, 22	06, 08, 11, 16, 22, 27, 33U,	11, 16, 22, 27, 33U	11, 16, 22, 27, 33U	06, 08	11, 16, 22, 27, 33U	06, 08 11, 16, 22, 27, 33U
		Type-B 11, 16	Type-B 11, 16					

Type B - Threading Inserts

A combination of ground profile, and sintered chip-breaker threading inserts. Unlike most other manufacturers inserts, this combination ensures a consistent high quality thread, with precise shape and dimensions.

Two different unique styles of chip-breaker were designed to suit the different specific requirements of Internal threads and External threads.

All of CPT Type B inserts are made of BMA Sub-Micrograin grade.



^{*} Upon request



Recommended cutting speed (m/min) for thread turning inserts

ISO	Material		Condition								
Standard				HBA	BLU	BMA	P25C	MXC	BXC	K20	P30
P	Non-Alloy Steel and Cast Steel, Free Cutting Steel	<0.25%C ≥0.25%C <0.55%C ≥0.55%C	Annealed Annealed Quenched & Tempered Annealed Quenched & Tempered		110-210	120-180	100-180	100-180	70-150		50-130
r	Low Alloy Steel and Cast Steel (less than 5% alloying elements)		Annealed Quenched & Tempered		90-140	80-130	70-120	70-120	60-90		50-80
	High Alloy Steel, C and Tool Steel	ast Steel,	Annealed Quenched & Tempered		70-90	60-80	50-60	55-70	50-60		40-50
M	Stainless Steel and Cast Steel		Ferritic / Martensitic Martensitic Austenitic		110-160	90-130	60-90	60-90	50-80	50-80	
	Cast Iron Nodular ((GGG)	Ferritic / Pearlitic Pearlitic		120-150	100-130		80-110	60-90		
K	Grey Cast Iron (GC	ā)	Ferritic Pearlitic		140-150	120-130		90-100	65-85		
	Malleable Cast Iron	1	Ferritic Pearlitic		110-140	100-130		80-100	60-85		
	Aluminum-Wrought Alloy		Not Cureable Cured		250-500			200-400	150-400	200-400	100-400
	Aluminum-Cast, Alloyed	<=12% Si >12% Si	Not Cureable Cured High Temperature		280-500			200-500	150-350	200-500	110-300
N	Copper Alloys	>1% Pb	Free Cutting Brass Electrolytic Copper		190-350			150-250	110-180	150-250	90-150
	Non Metallic		Duroplastics, Fiber Plastics Hard Rubber					200-300	150-210	100-200	110-150
S	High Temp. Alloys, Super Alloys	Fe based Ni or Co	Annealed Cured Annealed Cured Cast	20-80	30-65	25-60					
	Titanium Alloys		Alpha +Beta Alloys Cured	30-60	40-50	35-45				35-45	
Н	Hardened Steel		Hardened 45-50 HRc Hardened 51-55 HRc Hardened 56-62 HRc	30-60	40-50	35-45					
	Chilled Cast Iron Cast Iron		Cast Hardened	20-50 20-40	30-40 20-30	25-35 15-25					




Number of threading passes selection for single point inserts

Pitch:	mm	0.5	0.8	1.0	1.25	1.5	1.75	2.0	2.5	3.0	4.0	6.0
	TPI	48	32	24	20	16	14	12	10	8	6	4
Number of Passes		3-6	4-7	4-9	6-10	5-11	9-12	6-13	7-15	8-17	10-20	11-22

NOTES:

- 1. For most standard applications the middle of the range is a good starting point.
- 2. For most materials, the tougher the material, the higher the number of cutting passes you should select.
- 3. As a general rule of thumb, fewer passes are better than more speed.


Thread Turning Methods






Important Points about CPT Threading Inserts


 In most thread forms internal and external threads have different depth and radii, thus tools are not interchangeable



2. The Insert relief angle of a standard CPT external toolholder is 10°; for an internal toolholder it is 15°. This 5° difference is to provide additional necessary radial clearance.



3. Our built-in relief angles ensure automatic insert flank angle clearance.




4. Profiles of CPT internal & external threading inserts are precision ground to ensure accurate thread geometry when used in their corresponding toolholders.

Using internal inserts with an external holder will result in distortion of angle and insert geometry.

5. Insert and toolholder should always match. An IN-RH insert must be used with an IN-RH toolholder. No mismatch is allowed.





Flank Clearance Angle ω






Anvil Change Recommendation









Threading Inserts Standards

Thread Profile	Standard	Thread Class
ISO	DIN 13	6g / 6H
UN	ANSI B1.1-1989	2A / 2B
WHITWORTH	B.S. 84: 1956	Medium Class
NPT	ANSI B1.20.1-1983	-
NPTF	ANSI B1.20.3-1976	-
NPS	ANSI B1.20.1-1983	-
NPSM	ANSI B1.20.1-1983	-
BSPT	B.S. 21: 1957	-
DIN 477	DIN 477	-
ACME	ANSI B1.5-1988	3G (EXT), 3G / 2G (INT)
STUB ACME	ANSI B1.5-1988	2G
TRAPEZ	DIN 103	7e / 7H
ROUND	DIN 405	Class 7
UNJ	MIL-S-8879C	3A / 3B
MJ	ISO 5855	4h/6h, 4H/5H
AMERICAN BUTTRESS	ANSI B1.9-1973	Class 2
SAGENGEWINDE	DIN 513	-
PG	DIN 40430	-
V-0.040	API Spec7	-
V-0.038R	API Spec7	-
V-0.050	API Spec7	-
V-0.055	API Spec7	-
API ROUND	API Spec Standard 5B	-
EXTREME – LINE CASING	API Spec Standard 5B	-
BUTTRESS CASING	API Spec Standard 5B	-
VAM	VAM	-
HUGHES	HUGHES	-
PAC	PAC	-

DIN: **Deutsches Institut für Normung**ANSI: **American National Standards Institute**

API: American Petroleum Institute

B.S.: British Standards

ISO: International Organisation for Standardization

MIL-S: Military Specification

NPT: American National Standard Taper Pipe Thread NPTF: National Standard Taper Fuel:Dryseal USA

PAC: Pacific Asia Connection

NPS: Straight thread,same as NPT without taper

NPSM: Free-Fitting Mechanical Joints



Product Identification

Thread Turning Inserts Ordering Codes

