



## ISO With relieved neck and internal coolant bore

### Tools for Internal Thread



Grade	P	M	K	N	S	H
MT7	●	●	●	○	●	≤47 HRc

Pitch mm	M fine	Ordering Code	d	D	No. of Flutes	l1	l	L
1.0	$\varnothing \geq 12$	<b>MTQ 1010 D32 1.0 ISO</b>	10	10.0	4	18.0	32.0	73
1.0	$\varnothing \geq 14$	<b>MTQ 1212 D38 1.0 ISO</b>	12	12.0	4	21.0	38.0	84
1.0	$\varnothing \geq 18$	<b>MTQ 1616 F45 1.0 ISO</b>	16	16.0	6	26.0	45.0	105
1.5	$\varnothing \geq 13$	<b>MTQ 1010 D30 1.5 ISO</b>	10	10.0	4	18.0	30.0	73
1.5	$\varnothing \geq 15$	<b>MTQ 1212 D34 1.5 ISO</b>	12	12.0	4	19.5	34.5	84
1.5	$\varnothing \geq 19$	<b>MTQ 1616 F43 1.5 ISO</b>	16	16.0	6	25.5	43.5	105
1.5	$\varnothing \geq 23$	<b>MTQ 2020 F60 1.5 ISO</b>	20	20.0	6	36.0	60.0	105
2.0	$\varnothing \geq 16$	<b>MTQ 1212 D42 2.0 ISO</b>	12	12.0	4	24.0	42.0	84
2.0	$\varnothing \geq 20$	<b>MTQ 1616 E45 2.0 ISO</b>	16	16.0	5	26.0	45.0	105
2.0	$\varnothing \geq 24$	<b>MTQ 2020 F56 2.0 ISO</b>	20	20.0	6	34.0	56.0	105
3.0	$\varnothing \geq 22$	<b>MTQ 1616 D45 3.0 ISO</b>	16	16.0	4	30.0	45.0	105
3.0	$\varnothing \geq 26$	<b>MTQ 2020 E54 3.0 ISO</b>	20	20.0	5	33.0	54.0	105
3.5	$\varnothing \geq 26$	<b>MTQ 2020 D45 3.5 ISO</b>	20	20.0	4	28.0	45.5	105
4.0	$\varnothing \geq 31$	<b>MTQ 2525 D64 4.0 ISO</b>	25	25.0	4	40.0	64.0	160

Order example: MTQ 1010 D30 1.5 ISO MT7

● First choice    ○ Alternative

For small thread mills see pages B09-3, 4, 11, 15, 17 and B11-3, 6



## Product Identification

### Mill-Thread Solid Carbide Ordering Codes

